

PRODUCT CATALOGUE

# CONWOOD

Forwading Nature-Centric Living

Distributed By



**+91 8300810025**

[duroconbuildtech.com](http://duroconbuildtech.com)



# Forwading Nature-Centric Living



BEAUTY



TOUCH



PERFORMANCE



EASE



SAFETY

## Five Senses of Conwood

Experience the true beauty of nature through all spaces and get your excitement every day in your own home with Conwood

[Conwood Profile](#)

[Eaves and Ceiling Applications](#)

[Wall Applications](#)

[Floor Applications](#)

[Decorative Applications](#)

[Technical Information](#)





# CONWOOD

Forwading Nature-Centric Living

For over a decade, Conwood has been on a continuous, relentless quest to provide the best aesthetically pleasing, luxurious living, ecologically responsible, systematic building solutions as well as decorative materials.

Conwood adjacent products—through patented innovations, creative designs and constant tests and trials—strive to uphold high-level craftsmanship, elevating living standards while inflicting the least harm and disturbance to our environment.

Our pride and joy stem from our patented “flow-on” technology which enables us to generate identical-to-nature textures upon the first touch while the nature-like veneer designs deliver the elusive genuine wood patterns. Through innovations, Conwood products are equipped with fibres, allowing layering techniques and woodwork tools to be used seamlessly. Easily installed and maintained in all weather and terrain conditions, we guarantee the highest level of safety that is also child and pet friendly.

Conwood’s wide-ranging product lines are designed to serve every building and decorative need from private homes, and curated spaces to large-scale constructions.

With Conwood, there's no need to knock on wood.

## Eaves and Ceiling Applications


### With Various Stylish Materials

Conwood provides various styles, that help you elevate your design for every surface both interior and exterior.

Easily installed, transported and cleaned, Conwood covers all essential bases to fulfill your construction and maintenance needs.

- Conwood Lisplang 2 in 1
- Conwood Ceiling Border
- Conwood Lath






CONWOOD  
EAVES *Ziml*

Conwood Eaves resemble teak wood in appearance, and give rooftops a natural textured wood look while delivering the peace of mind that comes from knowing that your roof is termite-proof. This product is easy to install and extremely durable.

Product	Eaves 2 in 1
Color	Natural
Thickness (cm)	1.4
Width (cm)	23.5
Length (cm)	305
Weight (kg/pcs)	12.77

CONWOOD CEILING  
BORDER

Give your ceiling a beautiful new decorative look with Conwood Ceiling Border. This durable product is perfect for covering up all joints in walls and ceilings, and can seamlessly decorate your ceiling without exposing any gaps.



Product	Ceiling Border
Color	Natural
Thickness (cm)	1.1
Width (cm)	5
Length (cm)	305
Weight (kg/pcs)	2.30





## CONWOOD LATH

Decorate your ceiling or walls with easy-to-install Conwood Lath, which comes in a straight or stud style. Conwood Lath is great for interior design work, and can also be used to give a building's exterior some beautiful Conwood accents.



Product	Lath 3" Cut	Lath 4" Cut
Color	Natural	Natural
Thickness (cm)	1.1	1.1
Width (cm)	7.5	10
Length (cm)	305	305
Weight (kg/pcs)	3.45	4.60
Piece (m2)	4.30	3.21

## Wall Applications


- Conwood Lap Siding G-Series
- Conwood Lap Siding BG
- Conwood Decorative Panel 1" Stick
- Conwood Decorative Panel ECP
- Conwood Decorative Panel Array
- Conwood Decorative Panel Rhythm
- Conwood Mould



## CONWOOD LAP SIDING G-SERIES

Conwood Lap Siding is a versatile, easy to install product that's suitable for both interior and exterior walls. Give your home a modern look, with hints of textured wood that can be used creatively to add a distinguished appearance to any building.

Product	G0	G1	G2	G5
Color	Natural	Natural	Natural	Natural
Thickness (cm)	1.1	1.1	1.1	1.1
Width (cm)	20	20	20	20
Length (cm)	305	305	305	305
Weight (kg/pcs)	9.04	8.88	8.71	8.71
Piece (m2)	1.57	1.57	1.57	1.57



## CONWOOD LAP SIDING BG


Reinvent the look of your home with Conwood Lap Siding BG, which comes in a beautifully designed pattern that gives any structure a modern and classic appearance. This product is easy to install and is a great option for decorating walls.



Product	Lath 3" Cut
Color	Natural
Thickness (cm)	1.1
Width (cm)	15
Length (cm)	305
Weight (kg/pcs)	6.89
Piece (m2)	2.15



## CONWOOD DECORATIVE PANEL 1” STICK




Conwood Plank 1” is an innovative wood substitute that has been developed to work as a decorative solution for both interior design contexts and exterior walls. This sturdy and easy to install product is a great alternative to real wood.

Product	1” Stick
Color	Natural
Thickness (cm)	2.5
Width (cm)	10
Length (cm)	305
Weight (kg/pcs)	8.22

## CONWOOD DECORATIVE PANEL ECP


New alternative of home decoration with CONWOOD DECORATIVE PANEL ECP which focuses on raw material exposure and cement texture. It helps save your time and cost through its light-weight and convenient installation. Suitable to both interior and exterior decoration works.



Product	60 X 60 Series	60 x 120 Series
Color	Natural	Natural
Thickness (cm)	1.1	1.1
Width (cm)	60	60
Length (cm)	60	120
Weight (kg/pcs)	4.9	9.9
Piece (m2)	2.77	1.38








## CONWOOD DECORATIVE PANEL ARRAY

- New and Harmonious Design of Grooving Lines
- Unique Beauty and Durability
- Applicable to Interior and Exterior Decorations

Product	Array N	Array W
Color	Natural	Natural
Thickness (cm)	1.1	1.1
Width (cm)	20	20
Length (cm)	305	305
Weight (kg/pcs)	7.6	7.2
Piece (m2)	1.65	1.65

## CONWOOD DECORATIVE PANEL RHYTHM

- The Perfect Combination of Grooving Lines and Planes
- Outstanding and Unique Design
- Applicable to Interior and Exterior Walls



Product	Rythm
Color	Natural
Thickness (cm)	1.6
Width (cm)	20
Length (cm)	305
Weight (kg/pcs)	9.8
Piece (m2)	1.65





## CONWOOD MOULD

Cover up the seams between the walls and floor of your home with Conwood Mould, an elegant solution that prevents dirt from seeping into the base of your walls. This product adds a beautiful decorative accent to your home while effectively covering up the joint between the floor and walls.




Product	Louis	Classic
Color	Natural	Natural
Thickness (cm)	1.1	1.1
Width (cm)	10	10
Length (cm)	305	305
Weight (kg/pcs)	4.37	4.37

## Floor Applications

- Conwood Decorative Deck
- Conwood Deck 12"
- Conwood Decorative Stair






## CONWOOD DECORATIVE DECK

Install a Conwood Decorative Deck over concrete to give any interior or exterior space the elegant appearance of wood flooring. This beautiful and easy to install product is a great and durable solution that helps keep high moisture areas free from both insects infestation and decay.

Product	Deck 4"	Deck 6"	Deck 8"
Color	Natural	Natural	Natural
Thickness (cm)	1.4 / 2.5	1.4 / 2.5	1.4 / 2.5
Width (cm)	10	15	20
Length (cm)	305	305	305
Weight (kg/pcs)	5.20 / 9.76	8.20 / 14.64	10.39 / 19.52
Piece (m2)	3.22	2.15	1.61



! Installation on concrete slab only  
\*EPOXY Paint System or Water-based paint for fiber-cement deck



! Installation on concrete slab and Frame (span ≤ 30 cm.)  
\*EPOXY Paint System or Water-based paint for fiber-cement deck

## CONWOOD DECK 12"

Install a strong and durable Conwood Deck to give any space the appearance of real wood flooring. With a fast and easy installation, this environmentally friendly solution is suitable for all conditions.

Product	D1	D2	D3
Color	Natural	Natural	Natural
Thickness (cm)	2.5	2.5	2.5
Width (cm)	30	30	30
Length (cm)	305	305	305
Weight (kg/pcs)	28.75	28.75	28.75
Piece (m2)	1.09	1.09	1.09



## CONWOOD DECORATIVE STAIR

Conwood Decorative Stairs is a beautiful and affordable substitute for wooden staircases. This product gives any home a clean and modern look, and the material is strong and scratch proof to prevent against wear and tear from usage.



Product	Vertical 8"	Horizontal 12"	Handrail	Bordes
Color	Natural	Natural	Natural	Natural
Thickness (cm)	1.6	2.5	3	2.5
Width (cm)	20	30	8.5	120
Length (cm)	120	120	305	120
Weight (kg/pcs)	4.92	11.32	9.03	45.36




## Decorative Applications

- Conwood Sunshade
- Conwood Plank 2"
- Conwood Fence





## CONWOOD SUNSHADE



Conwood Sunshade is one innovative way to cover and protect your house from sun rays. The simple lining pattern gives your house elegant minimalist look.

## CONWOOD PLANK 2”

Conwood Plank 2” is a multipurpose product that can be utilized in a variety of contexts, and it gives anyspace it occupies a modern and classic appearance. This product can be used creatively to provide decorative wood accents in homes and other buildings.




Product	Plank 2”	Plank 2”
Color	Natural	Natural
Thickness (cm)	1.6	2.5
Width (cm)	5	5
Length (cm)	305	305
Weight (kg/pcs)	3.12	4.88



# CONWOOD FENCE

Protect your home with a Conwood Fence, a strong and sturdy product that requires much less maintenance than real wood. This easy to install fence provides security for your property while giving your home an elegant and natural boundary.



Product	Botany	Arrow	Classic
Color	Natural	Natural	Natural
Thickness (cm)	1.6	1.6	1.6
Width (cm)	10	10	10
Length (cm)	100	100	100
Weight (kg/pcs)	1.99	1.99	2.02



## CONWOOD COLOR

CONWOOD COLOR PAINT is a premium water-based paint, specially formulated to fibre cement board. High quality and beautify the Conwood surfaces as beauty as natural wood texture.

Name Product	Type	Color	Final View	Theoretical spreading power	Dry Time	Thickness	% Thinner
Sealer	Solvent Based	Transparent	-	5 m2/Ltr	± 2 Hours (30°C)	1 Ply	-
Paint	Acrylic Emulsion	Walnut Brown Palisander Brown Akasia	Gloss / Doff	12-13m2/Ltr (30 Micron) ± 2 hours (30°C)	± 2 Hours (30°C)	Min. 2 Ply	10% Clean Water
Clear Coat	Polyurethane (PU)	Transparent	Semi Gloss	9-10 m2 /Ltr-set (40 micron)	Dry Surface = 30 minutes Press Dry = 5 hours	2 Mix Ply A : B : C = 4 : 1 : 2	Thinner Polyurethane (PU)

COLOR CHOICES		
Walnut Brown	Palisander Brown	Akasia
 Gloss	 Gloss	 Gloss
 Doff	 Doff	 Doff







With Finishing  
Semi-Gloss Look


CONWOOD  
BEYOND

Color Choices

Akasia

Palisander Brown

Walnut Brown



CONWOOD BEYOND D - LOCK

The appearance of a classy natural wood floor to beautify your building which is equipped with an easier and faster installation system and can hide the screw areas so your floor will look perfect.





Hidden Screw Interlocking System

Product with interlocking design that can hide the screw area on the product installation to give a classy wood floor feel.


Product Type	Color	Thickness (mm)	Width (mm)	Length (mm)	Weight (kg / pcs)	Pcs/m2	Cutting Detail
Conwood Beyond D-Lock D0	Akasia	25	250	3050	24.07	1.33	
Conwood Beyond D-Lock D3	Palisander Brown Walnut Brown	25	250	3050	24.07	1.33	

CONWOOD BEYOND C - LOCK

The appearance of the walls with natural wood nuances is classy with an easier and faster installation system and has been colored with paint that provides perfect and long-lasting color.



Note: The temperature drop depends on various environmental factors. Not the same in every area.



Product Type	Color	Thickness(mm)	Width (mm)	Length (mm)	Weight (kg /pcs)	Pcs/m2	Cutting Details
Conwood Beyond C-Lock G0	Akasia	11	200	3050	9.0	1.66	
Conwood Beyond C-Lock G1	Palisander Brown	11	200	3050	8.9	1.66	
Conwood Beyond C-Lock G2	Walnut Brown	11	200	3050	8.7	1.66	



With Finishing  
Doff Look

CONWOOD  
BEYOND

Color Choices

Akasia

Palisander Brown

Walnut Brown


TECHNICAL INFORMATION

Handling



always carry Conwood products vertically by holding both ends of product approximately 50 cm from each edges.

Storage



Store Conwood product in a dry and leveled area. Place hard wood (1.5"x 3" size) every 50 cm. as a floor support. If it's necessary to keep Conwood product outside and cover them with a canvas to protect against rain and dust.

TECHNICAL INFORMATION

Technical Data Sheet

Properties of Product	Standard	Unit	Test Result
Dimensional Tolerance			
Length	ASTM C1185	mm	+/-2.5
Width	ASTM C1185	mm	+/-5.0
Thickness	ASTM C1185	mm	+/-1.0
Density	ASTM C1185	g/cm3	1.2
Moisture Content	ASTM C1185	%	5
Water Absorption	ASTM C1185	%	30
Dimensional Stability	ASTM C1185	%	0.27
Ignitability	BS 476 part 5	-	Pass
Fire Propagation Index	BS 476 part 6	-	I = 0
Surface Spread of Flame	BS 476 part 7	-	Class 1
Fire Resistance	BS 476 part 22	-	30-60 Minutes*
pH - Value	-	pH	9
MOE	ASTM C1185	MPa	5,000 - 8,000
Flexural Strength	ASTM C1185	MPa	11 - 15
Thermal Conductivity	ASTM C177-97	W/m.k	0.184
Thermal Resistance	ASTM C177-97	m2.K/W	0.082

Remark : Fire resistance testing is according to Conwood installation standard

Conditions :  
We do not provide guarantee for other applications and usage which do not install according to Conwood installation standard. If you have any question or require more information about installation, you can download "The Conwood Installation Standard" from [www.conwood.co.id](http://www.conwood.co.id) or you may reach to our Customer Service Center (62) 21 5296 2147.

\*All conditions we preserved to change without any advance notice.





Delivering Simplicity

**DUROCON BUILDTECH**

25, AGT Business Park, Avinashi Road,  
Coimbatore - 641014

Phone: 8300810025

Email: [info@duroconbuildtech.com](mailto:info@duroconbuildtech.com)

Website: [duroconbuildtech.com](http://duroconbuildtech.com)

**PT CONWOOD INDONESIA**

Kawasan Industri Jababeka VI, Blok C2/3

Jatireja, Cikarang Timur, Bekasi

Jawa Barat, Indonesia 17530